

H1

Dane do obliczeń :      Ferma drobiu Złotniki Kolonia - pora dzienna

Źródła punktowe

Nr	X[m]	Y[m]	z[m]	Pma	Symbol
=====					
1	555.2	773.8	1.0	71.4	EP1
2	540.1	722.3	1.0	71.4	EP2
3	567.2	703.1	1.0	71.4	EP3
4	580.2	692.2	1.0	73.2	EP4
5	580.7	691.6	1.0	63.2	EP5
6	581.7	691.6	1.0	75.0	EP6
7	581.7	692.7	1.0	70.4	EP7
8	563.5	804.5	1.0	71.4	EP8
9	545.3	744.7	1.0	71.4	EP9
10	554.7	679.7	1.0	71.4	EP10
11	538.6	637.0	1.0	71.4	EP11
12	520.4	584.5	1.0	71.4	EP12
13	528.2	545.5	1.0	71.4	EP13
14	549.5	528.4	1.0	73.2	EP14
15	552.1	527.3	1.0	63.2	EP15
16	549.5	525.8	1.0	75.0	EP16
17	551.6	526.3	1.0	70.4	EP17
18	559.4	791.0	1.0	73.2	EP18
19	549.0	714.0	1.0	73.2	EP19
20	548.4	663.0	1.0	73.2	EP20
21	528.2	609.0	1.0	73.2	EP21
22	512.0	559.6	1.0	73.2	EP22
23	518.3	553.3	1.0	73.2	EP23
24	533.4	554.4	1.0	65.0	EP24
25	536.5	552.8	1.0	75.0	EP25
26	533.9	551.8	1.0	72.2	EP26
27	549.0	759.8	1.0	68.4	EP27
28	542.2	734.3	1.0	68.4	EP28
29	553.6	708.8	1.0	66.2	EP29
30	556.2	694.2	1.0	70.2	EP30
31	556.8	693.2	1.0	60.2	EP31
32	557.8	694.8	1.0	67.2	EP32
33	556.8	695.8	1.0	67.4	EP33
34	566.1	816.4	1.0	74.4	EP34
35	552.1	766.0	1.0	74.4	EP35
36	551.6	671.4	1.0	74.4	EP36
37	542.7	648.0	1.0	74.4	EP37
38	524.0	598.6	1.0	74.4	EP38
39	501.1	557.0	1.0	74.4	EP39
40	472.0	568.4	1.0	66.2	EP40
41	473.6	566.3	1.0	76.2	EP41
42	474.6	568.4	1.0	73.4	EP42
43	547.4	753.5	1.0	68.4	EP43
44	542.2	718.7	1.0	68.4	EP44
45	557.3	689.0	1.0	68.4	EP45
46	533.4	624.0	1.0	68.4	EP46
47	515.2	570.5	1.0	68.4	EP47

48	538.6	542.4	1.0	68.4	EP48
49	569.2	532.5	1.0	60.2	EP49
50	571.3	532.0	1.0	70.2	EP50
51	569.8	532.5	1.0	67.4	EP51
52	518.7	704.1	7.5	80.0	E-1
53	515.5	689.4	7.5	80.0	E-2
54	507.8	675.3	7.5	80.0	E-3
55	504.6	660.2	7.5	80.0	E-4
56	496.3	644.9	7.5	80.0	E-5
57	493.1	630.5	7.5	80.0	E-6
58	485.8	617.0	7.5	80.0	E-7
59	482.9	601.7	7.5	80.0	E-8
60	475.8	591.1	7.5	80.0	E-9
61	466.4	585.0	1.7	89.0	E-10
62	467.9	584.2	1.7	89.0	E-11
63	469.6	583.7	1.7	89.0	E-12
64	471.4	583.0	1.7	89.0	E-13
65	475.9	581.1	1.7	89.0	E-14
66	477.8	580.5	1.7	89.0	E-15
67	479.7	579.7	1.7	89.0	E-16
68	481.4	579.0	1.7	89.0	E-17
69	543.4	694.7	7.5	80.0	E-18
70	540.6	679.4	7.5	80.0	E-19
71	532.4	665.7	7.5	80.0	E-20
72	529.0	650.6	7.5	80.0	E-21
73	520.6	635.0	7.5	80.0	E-22
74	518.2	620.6	7.5	80.0	E-23
75	510.3	607.8	7.5	80.0	E-24
76	507.2	592.5	7.5	80.0	E-25
77	500.5	581.7	7.5	80.0	E-26
78	491.1	575.1	1.7	89.0	E-27
79	492.6	574.8	1.7	89.0	E-28
80	494.3	574.1	1.7	89.0	E-29
81	496.0	573.5	1.7	89.0	E-30
82	500.9	571.6	1.7	89.0	E-31
83	502.7	570.9	1.7	89.0	E-32
84	504.0	570.3	1.7	89.0	E-33
85	506.1	569.6	1.7	89.0	E-34
86	547.0	635.0	2.4	80.0	E-35
87	549.0	633.9	2.4	80.0	E-36
88	552.4	633.0	2.4	80.0	E-37
89	554.4	632.2	2.4	80.0	E-38
90	564.0	628.6	2.4	80.0	E-39
91	566.2	627.6	2.4	80.0	E-40
92	569.5	626.4	2.4	80.0	E-41
93	571.5	625.5	2.4	80.0	E-42
94	543.1	624.5	2.4	80.0	E-43
95	545.2	623.6	2.4	80.0	E-44
96	548.7	622.4	2.4	80.0	E-45
97	550.6	621.5	2.4	80.0	E-46
98	560.2	617.8	2.4	80.0	E-47
99	562.2	617.0	2.4	80.0	E-48
100	565.5	615.5	2.4	80.0	E-49
101	567.4	614.7	2.4	80.0	E-50

102	464.2	541.7	9.0	80.0	E-51
103	457.9	528.7	9.0	80.0	E-52
104	454.3	515.0	9.0	80.0	E-53
105	448.6	502.3	9.0	80.0	E-54
106	444.5	488.6	9.0	80.0	E-55
107	438.5	475.9	9.0	80.0	E-56
108	434.9	462.2	9.0	80.0	E-57
109	428.4	449.8	9.0	80.0	E-58
110	425.0	436.3	9.0	80.0	E-59
111	408.3	426.6	1.8	89.0	E-60
112	409.4	426.1	1.8	89.0	E-61
113	410.9	425.7	1.8	89.0	E-62
114	412.1	425.0	1.8	89.0	E-63
115	413.3	424.5	1.8	89.0	E-64
116	414.6	424.1	1.8	89.0	E-65
117	423.0	420.8	1.8	89.0	E-66
118	424.3	420.5	1.8	89.0	E-67
119	425.7	419.8	1.8	89.0	E-68
120	427.0	419.2	1.8	89.0	E-69
121	428.2	418.7	1.8	89.0	E-70
122	429.5	418.2	1.8	89.0	E-71
123	414.7	424.1	3.4	89.0	E-72
124	423.0	420.8	3.4	89.0	E-73
125	497.4	528.8	9.0	80.0	E-74
126	491.7	515.8	9.0	80.0	E-75
127	488.1	502.4	9.0	80.0	E-76
128	481.8	489.7	9.0	80.0	E-77
129	478.0	475.8	9.0	80.0	E-78
130	472.2	463.3	9.0	80.0	E-79
131	468.4	449.6	9.0	80.0	E-80
132	462.4	436.9	9.0	80.0	E-81
133	458.6	423.4	9.0	80.0	E-82
134	441.8	413.6	1.8	89.0	E-83
135	443.2	413.1	1.8	89.0	E-84
136	444.4	412.6	1.8	89.0	E-85
137	445.9	412.0	1.8	89.0	E-86
138	447.0	411.5	1.8	89.0	E-87
139	448.5	411.0	1.8	89.0	E-88
140	456.6	407.8	1.8	89.0	E-89
141	458.1	407.2	1.8	89.0	E-90
142	459.3	406.8	1.8	89.0	E-91
143	460.6	406.3	1.8	89.0	E-92
144	462.0	405.9	1.8	89.0	E-93
145	463.3	405.4	1.8	89.0	E-94
146	448.5	410.9	3.4	89.0	E-95
147	456.6	407.8	3.4	89.0	E-96
148	531.4	516.0	9.0	80.0	E-97
149	525.3	502.8	9.0	80.0	E-98
150	521.6	489.4	9.0	80.0	E-99
151	515.8	476.8	9.0	80.0	E-100
152	511.8	463.1	9.0	80.0	E-101
153	505.7	450.5	9.0	80.0	E-102
154	502.3	436.8	9.0	80.0	E-103
155	495.9	423.9	9.0	80.0	E-104

156	492.2	410.2	9.0	80.0	E-105
157	475.6	400.8	1.8	89.0	E-106
158	477.0	400.6	1.8	89.0	E-107
159	478.2	400.1	1.8	89.0	E-108
160	479.6	399.4	1.8	89.0	E-109
161	480.9	399.0	1.8	89.0	E-110
162	482.1	398.3	1.8	89.0	E-111
163	490.5	395.4	1.8	89.0	E-112
164	491.7	394.8	1.8	89.0	E-113
165	493.0	394.2	1.8	89.0	E-114
166	494.3	393.7	1.8	89.0	E-115
167	495.6	393.3	1.8	89.0	E-116
168	496.9	392.8	1.8	89.0	E-117
169	482.2	398.3	3.4	89.0	E-118
170	490.5	395.2	3.4	89.0	E-119
171	565.5	503.5	9.0	80.0	E-120
172	559.5	490.3	9.0	80.0	E-121
173	555.4	476.6	9.0	80.0	E-122
174	549.4	464.4	9.0	80.0	E-123
175	545.8	450.5	9.0	80.0	E-124
176	540.1	437.8	9.0	80.0	E-125
177	536.2	424.3	9.0	80.0	E-126
178	530.0	411.6	9.0	80.0	E-127
179	526.4	397.9	9.0	80.0	E-128
180	509.4	388.2	1.8	89.0	E-129
181	510.8	387.8	1.8	89.0	E-130
182	512.0	387.1	1.8	89.0	E-131
183	513.3	386.6	1.8	89.0	E-132
184	514.6	386.2	1.8	89.0	E-133
185	515.9	385.8	1.8	89.0	E-134
186	524.3	382.6	1.8	89.0	E-135
187	525.6	382.1	1.8	89.0	E-136
188	526.9	381.7	1.8	89.0	E-137
189	528.2	381.3	1.8	89.0	E-138
190	529.4	380.5	1.8	89.0	E-139
191	530.6	380.2	1.8	89.0	E-140
192	515.9	385.8	3.4	89.0	E-141
193	524.2	382.6	3.4	89.0	E-142
194	599.6	490.6	9.0	80.0	E-143
195	593.4	477.9	9.0	80.0	E-144
196	589.5	464.2	9.0	80.0	E-145
197	583.5	451.8	9.0	80.0	E-146
198	579.9	438.1	9.0	80.0	E-147
199	574.2	425.1	9.0	80.0	E-148
200	570.3	411.9	9.0	80.0	E-149
201	563.8	399.0	9.0	80.0	E-150
202	560.7	385.3	9.0	80.0	E-151
203	543.4	375.8	1.8	89.0	E-152
204	544.6	375.4	1.8	89.0	E-153
205	546.1	374.8	1.8	89.0	E-154
206	547.4	374.3	1.8	89.0	E-155
207	548.5	373.7	1.8	89.0	E-156
208	550.0	373.1	1.8	89.0	E-157
209	558.2	370.0	1.8	89.0	E-158

210 559.7 369.6 1.8 89.0 E-159  
 211 561.0 369.1 1.8 89.0 E-160  
 212 562.2 368.6 1.8 89.0 E-161  
 213 563.6 368.0 1.8 89.0 E-162  
 214 564.9 367.6 1.8 89.0 E-163  
 215 550.0 373.0 3.4 89.0 E-164  
 216 558.2 369.9 3.4 89.0 E-165

=====

Źródła typu hala produkcyjna :

WSPÓŁRZĘDNE WIERZCHOŁKÓW :

Nr	X1[m]	Y1[m]	X2[m]	Y2[m]	X3[m]	Y3[m]	X4[m]	Y4[m]	h0[m]	h[m]
1	514.6	715.7	531.5	709.6	483.3	580.3	466.4	586.8	0.0	6.7
2	538.7	706.0	555.6	699.8	507.8	570.6	491.2	577.1	0.0	6.7
3	567.9	695.2	578.0	691.2	556.0	633.2	546.6	637.2	0.0	5.0
4	585.2	688.0	594.9	684.7	573.6	626.8	563.6	630.7	0.0	5.0
5	541.2	623.5	551.0	619.9	529.4	561.6	519.6	565.2	0.0	5.0
6	558.5	616.7	568.2	613.4	546.6	554.8	536.6	558.7	0.0	5.0
7	456.3	559.4	480.4	550.4	431.1	419.0	407.0	428.0	0.0	8.5
8	489.8	546.5	513.9	537.8	464.9	406.1	441.2	415.1	0.0	8.5
9	523.6	533.9	548.1	524.9	499.1	393.1	474.6	402.1	0.0	8.5
10	557.4	520.9	581.6	512.3	532.6	380.9	508.5	389.9	0.0	8.5
11	591.6	508.3	615.8	500.0	566.4	367.9	542.3	377.3	0.0	8.5
12	572.6	789.6	577.1	785.3	575.0	783.1	569.9	787.7	0.0	2.5

=====

POZIOMY HAŁASU i IZOLACYJNOŚĆ PRZEGRÓD

Nr źródła		A	63	125	250	500	1000	2000	4000	8000	wsp.odb.
1	sc.1	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.3	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.4	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	dach	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R d	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

Nr źródła		A	63	125	250	500	1000	2000	4000	8000	wsp.odb.
2	sc.1	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.3	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.4	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	dach	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R d	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

=====

Nr źródła			A	63	125	250	500	1000	2000	4000	8000	wsp.odb.
=====												
3	sc.1	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.3	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.4	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	dach	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
R d		25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
=====												
Nr źródła			A	63	125	250	500	1000	2000	4000	8000	wsp.odb.
=====												
4	sc.1	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.3	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.4	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	dach	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
R d		25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
=====												
Nr źródła			A	63	125	250	500	1000	2000	4000	8000	wsp.odb.
=====												
5	sc.1	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.3	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.4	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	dach	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
R d		25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
=====												
Nr źródła			A	63	125	250	500	1000	2000	4000	8000	wsp.odb.
=====												
6	sc.1	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.3	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.4	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	dach	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
R d		25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
=====												
Nr źródła			A	63	125	250	500	1000	2000	4000	8000	wsp.odb.
=====												

7	sc.1	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.3	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.4	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	dach	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R d	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

=====											
Nr źródła		A	63	125	250	500	1000	2000	4000	8000	wsp.odb.
=====											
8	sc.1	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.3	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.4	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	dach	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R d	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

=====											
Nr źródła		A	63	125	250	500	1000	2000	4000	8000	wsp.odb.
=====											
9	sc.1	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.3	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.4	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	dach	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R d	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

=====											
Nr źródła		A	63	125	250	500	1000	2000	4000	8000	wsp.odb.
=====											
10	sc.1	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.3	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.4	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	dach	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R d	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

=====											
Nr źródła		A	63	125	250	500	1000	2000	4000	8000	wsp.odb.
=====											
11	sc.1	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

sc.2	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
	R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
sc.3	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
	R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
sc.4	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
	R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
dach	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
	R d	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

=====											
Nr źródła		A	63	125	250	500	1000	2000	4000	8000	wsp.odb.
=====											
12	sc.1	L wew	97.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2	L wew	97.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.3	L wew	97.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.4	L wew	97.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	dach	L wew	97.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R d	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
=====											

Ekrany akustyczne :

WSPÓŁRZĘDNE WIERZCHOŁKÓW :

Nr	X1[m]	Y1[m]	X2[m]	Y2[m]	X3[m]	Y3[m]	X4[m]	Y4[m]	h0[m]	h[m]
=====										
1	572.8	790.1	577.6	785.0	585.8	793.4	581.7	798.7	0.0	3.0
2	592.0	774.5	599.7	763.0	607.8	769.0	599.4	780.2	0.0	6.0
3	601.6	751.0	586.7	731.5	595.8	724.8	611.0	744.5	0.0	4.0
4	557.7	748.6	586.5	726.2	579.3	716.6	551.0	739.0	0.0	8.0
=====										

WSPÓŁCZYNNIKI ODBICIA DLA ŚCIAN

Nr	ściana 1	ściana 2	ściana 3	ściana 4	dach
=====					
1	1.0000	1.0000	1.0000	1.0000	1.0000
2	1.0000	1.0000	1.0000	1.0000	1.0000
3	1.0000	1.0000	1.0000	1.0000	1.0000
4	1.0000	1.0000	1.0000	1.0000	1.0000
=====					